


**Neodent  
Helix GM  
Dental Implant  
System**

**SURGERY**

**Helix GM**



**Implants**

	Ø 3.5		Ø 3.75		Ø 4.0		Ø 4.3		Ø 5.0		Ø 6.0						
	Acqua	NeoPoro	Acqua	NeoPoros	Acqua	NeoPoros	Acqua	NeoPoros	Acqua	NeoPoros	Acqua	NeoPoros					
<b>8.0</b>	140.943	109.943	<b>8.0</b>	140.976	109.976	<b>8.0</b>	140.982	109.982	<b>8.0</b>	140.948	109.948	<b>8.0</b>	140.953	109.953	<b>8.0</b>	140.1009	109.1009
<b>10.0</b>	140.944	109.944	<b>10.0</b>	140.977	109.977	<b>10.0</b>	140.983	109.983	<b>10.0</b>	140.949	109.949	<b>10.0</b>	140.954	109.954	<b>10.0</b>	140.1010	109.1010
<b>11.5</b>	140.945	109.945	<b>11.5</b>	140.978	109.978	<b>11.5</b>	140.984	109.984	<b>11.5</b>	140.950	109.950	<b>11.5</b>	140.955	109.955	<b>11.5</b>	140.1011	109.1011
<b>13.0</b>	140.946	109.946	<b>13.0</b>	140.979	109.979	<b>13.0</b>	140.985	109.985	<b>13.0</b>	140.951	109.951	<b>13.0</b>	140.956	109.956	<b>13.0</b>	140.1012	109.1012
<b>16.0</b>	140.947	109.947	<b>16.0</b>	140.980	109.980	<b>16.0</b>	140.986	109.986	<b>16.0</b>	140.952	109.952	<b>16.0</b>	140.957	109.957			
<b>18.0</b>	140.988	109.988	<b>18.0</b>	140.981	109.981	<b>18.0</b>	140.987	109.987	<b>18.0</b>	140.989	109.989	<b>18.0</b>	140.990	109.990			

**Cover Screw**



GM Cover Screw	0 mm	2 mm
	117.021	117.022

**Healing Abutments**

**GM Healing Abutments**



Profile	1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm
<b>Ø 3.3</b>	106.208	106.209	106.210	106.211	106.212
<b>Ø 4.5</b>	106.214	106.215	106.216	106.217	106.218

**GM Healing Abutment**



Profile	2.5 mm	3.5 mm	4.5 mm
<b>Ø 5.5</b>	106.251	106.252	106.253
<b>Ø 6.5</b>	106.255	106.256	106.257

**GM Customizable Healing Abutments (peek)**



Profile	2.5 mm	3.5 mm	4.5 mm	5.5 mm	6.5 mm
<b>Ø 5.5</b>	106.224	106.225	106.226	106.227	-
<b>Ø 7.0</b>	106.228	106.229	106.230	106.231	106.232

**Auxiliary Instruments**



**Torque Wrench**  
104.050



**GM Bone Profile Drill**  
103.424



**GM Drill Extension**  
103.426

### Implant-level Cementable/Titanium Base Abutments

GM Titanium Base (incl. screw)

AH	4 mm			
GH	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.356	135.357	135.358	135.359
Ø 4.5	135.368	135.369	135.370	135.371



AH	6 mm			
GH	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.362	135.363	135.364	135.365
Ø 4.5	135.374	135.375	135.376	135.377



GM Titanium Base for Bridge (incl. screw)

AH	4 mm			
GH	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.400	135.401	135.402	135.403
Ø 4.5	135.405	135.406	135.407	135.408



GM Titanium Base AS (incl. screw)

AH	6 mm	
GH	1.5 mm	2.5 mm
Ø 4.0	135.331	135.332
Ø 4.5	135.337	135.338



GM Titanium Screw

	Basel Screw	Basel Screw AS
	116.292	116.288

Torque Connection | 20N.cm

### Temporary Abutments

GM Titanium Abutment for Crown (incl. screw)

GH	0.8 mm	1.5 mm	2.5 mm	3.5 mm
Ø 3.5	118.344	118.345	118.346	118.347
Ø 4.5	118.348	118.349	118.350	118.351



GM Titanium Abutment for Bridge (incl. screw)

GH	0.8 mm	1.5 mm	2.5 mm	3.5 mm
Ø 3.5	118.352	118.353	118.354	118.355
Ø 4.5	118.356	118.357	118.358	118.359



GM Pro Peek Abutment (incl. screw)

GH	1.5 mm
Ø 4.5	114.739



Torque Connection | 15N.cm

### Implant-level Impression

GM Implant Impression Coping (incl. screw)

	Open Tray	Closed Tray
Regular	108.162	108.160
Long	108.163	-



101.074



108.181

### Intraoral Workflow Options



Digital Implant analogue Ø 3.5	Digital Implant analogue Ø 4.5	Intraoral Implant Scanbody	Intraoral Multi-unit Implant Scanbody	Digital Multi-unit analogue
101.103	101.089	108.183	108.137	101.092

### Abutment level Cementable/Multi-unit Abutments



GM Mini Conical Abutment (incl. screw)

GH	0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm
0°	115.243*	115.244*	115.245*	115.246*	115.247*	115.248*
17°	-	115.249	115.250	115.251	-	-
30°	-	115.252	115.253	115.254	-	-
45°	-	115.267	115.268	-	-	-

\*Screwdriver 105.009

0° Torque Connection | 32N.cm  
17°, 30°, 45° Torque Connection | 20N.cm

GM Mini Conical Screws

Coping Screw	45° Abutment Screw
116.269	116.284



Copings (incl. screw)

Titanium	Mini Conical	Burn-out Coping	Healing Abutment
118.302	118.382	118.301	106.220

Torque Connection | 15N.cm

Abutment-level Impression

Open Tray	Analog	Scanbody
108.176	101.020	108.094

### NOVALOC



Processing Package Titanium

2010.601-STM

Novaloc Abutments

	Angle	0°	15°
GH	0.8 mm	102.161	102.167
	1.5 mm	102.162	102.168
	2.5 mm	102.163	102.169
	3.5 mm	102.164	102.170
	4.5 mm	102.165	102.171
	5.5 mm	102.166	102.172



Torque Connection | 20N.cm

### EQUATOR



GM Equator Abutments

1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm
102.143	102.144	102.145	102.146	102.147

Torque Connection | 32N.cm

O'ring with Cylinder



102.107

O'ring



	Pink	Purple
Retention	102.108	102.115

1.2 kg 2.7 kg

### Auxiliary Instruments

Screwdrivers

	Contra-angle	Torque Wrench	Manual	AS Torque Wrench
Short	105.135	105.133	104.058	105.150
Medium	105.136	105.132	104.060	105.151
Long	105.160	105.157	104.072	105.152

Multi-unit Driver

105.009



GM Screw and Abutment Remover

	130.118
Long	130.114

